

SONY[®]

White paper

December 2014



SmartWatch 3

SWR50

About this document

This document contains technical specifications for the Sony SWR50 Smartwatch 3.

Document history

Version

August 2014	First released version	Version 1
December 2014	Second released version	Version 2

Sony Mobile Developer World

For the latest technical news, tutorials and development tools, go to www.sonymobile.com/developer.

This White paper is published by:

Sony Mobile Communications Inc.,
1-8-15 Konan, Minato-ku, Tokyo108-0075, Japan

www.sonymobile.com

© Sony Mobile Communications Inc., 2014.
All rights reserved. You are hereby granted a
license to download and/or print a copy of this
document.
Any rights not expressly granted herein are
reserved.

First released version (August 2014)
Publication number: 1291-4834.1

This document is published by Sony Mobile
Communications Inc. without any warranty*.
Improvements and changes to this text
necessitated by typographical errors,
inaccuracies of current information or
improvements to programs and/or equipment
may be made by Sony Mobile Communications
Inc. at any time and without notice. Such
changes will, however, be incorporated into new
editions of this document. Printed versions are to
be regarded as temporary reference copies only.

*All implied warranties, including without
limitation the implied warranties of
merchantability or fitness for a particular
purpose, are excluded. In no event shall Sony or
its licensors be liable for incidental or
consequential damages of any nature, including
but not limited to lost profits or commercial loss,
arising out of the use of the information in this
document.

Table of contents

Product overview	2
SmartWatch 3 SWR50	2
Facts – dimensions, weight, performance	2
Requirements on tablets and smartphones	4
Technologies in detail	5
Device-to-device communications (local)	5
Bluetooth® wireless technology	5
Trademarks and acknowledgements	6

Product overview

SmartWatch 3 SWR50

The SmartWatch 3 SWR50 is both a unique standalone device as well as a companion product that interacts seamlessly with your Android phone or tablet (Android version 4.3 or later) to add new functionality and possibilities. Featuring a screen with a hardened glass surface for maximum scratch resistance and durability, a stainless steel body, and an IP rating of 68, the SmartWatch 3 is built to take whatever daily life throws at it. But behind the sleek design, there's so much more.

The SmartWatch 3 has a 1.6-inch transfective TFT LCD display, securing visibility in sunlit conditions while also offering great image quality with rich colours. A highly responsive capacitive touch system supports an easy-to-use interface. And, then, there are the apps – hundreds of applications are available for your SmartWatch 3 via the Google Play™* store, and new ones are becoming available all the time. So you can find new ways to use your device every day.

* This service is not available in all markets.

Facts – dimensions, weight, performance

Processor	1.2 GHz, Quad-core ARM® Cortex™ A7
Size (module)	36 x 10 x 51 mm
Weight	
Watch module	38 grams
Classic wristband	38 grams
Sport armband	35.7 grams
Available colours	Black, White (classic wristband version) Pink, Lime (sport armband version)
Display	
Colours	16 bit
Resolution	320x320 pixels
Size (diagonal)	1.6 inch
Type of display	Transfective TFT LCD
Touch	Capacitive
Keys	Power key (On/Off)
Vibrator	Yes

Memory	
Flash	4 GB eMMC
RAM	512 MB
Sensors	
Ambient light sensor	Yes
Accelerometer	Yes
Magnetometer	Yes
Gyro	Yes
Wi-Fi®	Wi-Fi® ready
GPS	Yes
Bluetooth	
Bluetooth specification	4.0
Transfer rate	< 3 Mbps
Power class	Class 1
NFC	Yes, to power on the SWR50 and start the Android Wear host application
USB	Yes, standard micro USB for charging and ADB
Battery	
Type	Li-polymer
Capacity	420 mAh
Charge time	≤ 1 hour
Usage time	
Typical usage	Up to 2 days
Standby time	Up to 4 days
Environmental data	
Operating temperature range	-20°C to +60°C
Operating humidity range	5% to 99% RH
Storage temperature range	-40°C to +85°C
Storage humidity range	20% to 95% RH
Charging temperature range	0°C to 45°C
Water and dust classification	IP68*

** In compliance with IP68, this accessory is protected against the ingress of dust and is waterproof. Provided that all ports and covers are firmly closed, the accessory can be kept under 1.50 metres of freshwater for up to 30 minutes in compliance with IP68.*

Find out more at www.sonymobile.com/testresults

Requirements on tablets and smartphones

Operating system compatibility	Android version 4.3 and later
Bluetooth	Version 4.0

Technologies in detail

NOTE: The information outlined below is general and levels of compliance to standards and specifications may vary between products and markets. For more information, contact Sony Mobile Developer World or your Sony contact person where applicable.

Device-to-device communications (local)

Bluetooth® wireless technology

Bluetooth® profiles supported	Advanced Audio Distribution Profile v1.2 Audio/Video Remote Control Profile v1.3
Core version and supported core features	Version 4.0
Connectable devices	Products which support at least one of the Bluetooth® profiles listed above.

More information:

www.sonymobile.com/developer

www.bluetooth.com

Trademarks and acknowledgements

All product and company names mentioned are the trademarks or registered trademarks of their respective owners. Any rights not expressly granted are reserved.

Visit www.sonymobile.com for more information.