

SONY

Xperia™ in Business

Product overview

Read about the enterprise policies and features supported in Xperia devices

March 2018

XPERIA



About this document

Products covered

This document describes Xperia in Business enterprise services and features in Sony Mobile devices. Please refer to the tables in the Product overview document for details about supported products and software versions.

To find the software version of a device:

- Select **About phone** in **Settings** > **System** (Android 8.0)
- Select **About phone** in **Settings** (Android 7.1 or lower)

Limitations to services and features

Some of the services and features described in this document might not be supported in all countries/regions or by all networks and/or service providers in all areas. Please contact your network operator or service provider to determine availability of any specific service or feature and whether additional access or usage fees apply.

Trademarks and acknowledgements

All product and company names mentioned herein are the trademarks or registered trademarks of their respective owners. Any rights not expressly granted herein are reserved. All other trademarks are property of their respective owners.

Visit www.sonymobile.com for more information.

Document release date

March 21, 2018

This White paper is published by:

Sony Mobile Communications Inc.,
4-12-3 Higashi-Shinagawa, Shinagawa-ku,
Tokyo, 140-0002, Japan

www.sonymobile.com

© Sony Mobile Communications Inc.,
2009-2018.

All rights reserved. You are hereby granted
a license to download and/or print a copy
of this document.

Any rights not expressly granted herein
are reserved.

First released version (March 2018)

This document is published by Sony
Mobile Communications Inc., without any
warranty*. Improvements and changes
to this text necessitated by typographical
errors, inaccuracies of current information
or improvements to programs and/or
equipment may be made by Sony Mobile
Communications Inc. at any time and
without notice. Such changes will, however,
be incorporated into new editions of this
document. Printed versions are to be
regarded as temporary reference
copies only.

*All implied warranties, including without
limitation the implied warranties of
merchantability or fitness for a particular
purpose, are excluded. In no event shall
Sony or its licensors be liable for incidental
or consequential damages of any nature,
including but not limited to lost profits or
commercial loss, arising out of the use of
the information in this document.

Table of contents

About this document 2

Products covered..... 2

Limitations to services and features..... 2

Trademarks and acknowledgements 2

Document release date 2

Xperia Z and X Series..... 4

Xperia E, M and L Series 6

Android™ Enterprise feature overview 8

Xperia Z and X Series

	Xperia Z3+ Xperia Z4 Xperia Z4 Tablet	Xperia Z5 Xperia Z5 Premium Xperia Z5 Compact	Xperia XA Xperia XA Ultra	Xperia X	Xperia X Performance	Xperia Touch Xperia X Compact	Xperia XA1 Xperia XA1 Ultra Xperia XA1 Plus	Xperia XZ Xperia XZs Xperia XZ Premium	Xperia XZ1 Xperia XZ1 Compact	Xperia XZ2 Xperia XZ2 Compact	Xperia XA2 Xperia XA2 Ultra
Android version	7.1.x	7.1.x	7.0.x	7.1.x	8.0.x	7.1.x	7.1.x	8.0.x	8.0.x	8.0.X	8.0.x
Exchange Active Sync policies											
Allow HTML email	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Max HTML email body truncation size	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Max email body truncation size	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Attachments enabled	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Max attachment size	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Max email age filter	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Max calendar age filter	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Password recovery enabled	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Require signed S/MIME messages	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Require encrypted S/MIME messages	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Require signed S/MIME algorithm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Require encryption S/MIME algorithm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Exchange Active Sync and MDM policies											
Require password	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Min password length	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Min password complex characters	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Require alphanumeric password	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Max password failed attempts	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Restrict password history	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Password expiration	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Max inactivity time lock	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Require device encryption	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow camera	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Prompt new password	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wipe device	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow / Block / Quarantine (ABQ) list	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Platform APIs											
Locate device	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Sound an alert	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
API Level 2											
Allow storage card	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow Wi-Fi	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow Bluetooth	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow tethering	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow desktop sync											
Allow simple password	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
API Level 3											
Allow browser	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Application Black/White listing	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Require storage card encryption	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
API Level 4											
Allow IrDA											
Allow roaming	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow auto sync when roaming	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wipe storage card only	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Add EAS account	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
VPN configuration	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Track data usage	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Get rooting status	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
API Level 5											
Allow location providers	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow sending SMS/MMS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow screen capture	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow USB debugging	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow USB mass storage	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow non-market app installation	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Limit amount of roaming data	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Install and remove email account (POP3, IMAP4, EAS)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Install certificate (VPN, Wi-Fi or S/MIME)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
API Level 6											
Packet filtering	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow deactivation	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow adding guest users	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow application installation or uninstallation	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow POP/IMAP email	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow consumer email	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

	Xperia Z3+ Xperia Z4 Xperia Z4 Tablet	Xperia Z5 Xperia Z5 Premium Xperia Z5 Compact	Xperia XA Xperia XA Ultra	Xperia X	Xperia X Performance	Xperia Touch Xperia X Compact	Xperia XA1 Xperia XA1 Ultra Xperia XA1 Plus	Xperia XZ Xperia XZ5 Xperia XZ Premium	Xperia XZ1 Xperia XZ1 Compact	Xperia XZ2 Xperia XZ2 Compact	Xperia XA2 Xperia XA2 Ultra
One time password	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Device lockout	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
API Level 7											
Allow microphone	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow background data	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow data usage (Mobile Data)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow access to device settings	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow voice roaming	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow sync data in accounts	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow NFC	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Remove and list certificates	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
List VPN profiles	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
MDM Silent installation	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SAFE Mode restriction	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Installation/Uninstallation blocking	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
New Guest user addition restriction	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Extension of VPN configuration API:s	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
API Level 8											
Add APN	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow auto boot	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow change wallpaper	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow clipboard	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow display sleep	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow FOTA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow home, back, recent keys	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow mock location	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow outgoing voice call	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow reboot or shutdown	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow safe mode	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow turning off location	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Configure Single sign-on	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Lock top application (kiosk mode)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Reboot or shutdown	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Remote control	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
API Level 9											
Allow adjust volume	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow Bluetooth profiles	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow factory reset	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Allow Wi-Fi SSID	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Roaming control of SMS/MMS/Voice	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Silent certificate installation	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
API Level 10											
Set system date and time	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Set mobile data on/off	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Other features											
Enabler for Device Configurator (PC tool) preinstalled	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Support for Xperia Configurator Cloud (XCC)		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Support for Mass Deployment in XCC									✓	✓	✓
FIPS 140-2 Certification	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Common Criteria Certification				✓	✓						
E-SDK device tracker (MDM)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SE Linux Enforcing Mode	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Enhanced PIM	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Enterprise Single sign-on (SSO)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fingerprint sensor				✓	✓	✓	✓	✓	✓	✓	✓
Google Device Protection		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Default encryption of internal storage			✓	✓	✓	✓	✓	✓	✓	✓	✓
AES encryption support	256-bit	256-bit	256-bit	256-bit	256-bit	256-bit	256-bit	256-bit	256-bit	256-bit	256-bit

Xperia E, M and L Series

	Xperia E5	Xperia M4 Aqua Xperia M4 Aqua Dual	Xperia M5 Xperia M5 Dual	Xperia L1	Xperia L2
Android version	6.0.x	6.0.x	6.0.x	7.0.x	7.0.x
Exchange Active Sync policies					
Allow HTML email	✓	✓	✓	✓	✓
Max HTML email body truncation size	✓	✓	✓	✓	✓
Max email body truncation size	✓	✓	✓	✓	✓
Attachments enabled	✓	✓	✓	✓	✓
Max attachment size	✓	✓	✓	✓	✓
Max email age filter	✓	✓	✓	✓	✓
Max calendar age filter	✓	✓	✓	✓	✓
Password recovery enabled	✓	✓	✓	✓	✓
Require signed S/MIME messages	✓	✓	✓	✓	✓
Require encrypted S/MIME messages	✓	✓	✓	✓	✓
Require signed S/MIME algorithm	✓	✓	✓	✓	✓
Require encryption S/MIME algorithm	✓	✓	✓	✓	✓
Exchange Active Sync and MDM policies					
Require password	✓	✓	✓	✓	✓
Min password length	✓	✓	✓	✓	✓
Min password complex characters	✓	✓	✓	✓	✓
Require alphanumeric password	✓	✓	✓	✓	✓
Max password failed attempts	✓	✓	✓	✓	✓
Restrict password history	✓	✓	✓	✓	✓
Password expiration	✓	✓	✓	✓	✓
Max inactivity time lock	✓	✓	✓	✓	✓
Require device encryption	✓	✓	✓	✓	✓
Allow camera	✓	✓	✓	✓	✓
Prompt new password	✓	✓	✓	✓	✓
Wipe device	✓	✓	✓	✓	✓
Allow / Block / Quarantine (ABQ) list	✓	✓	✓	✓	✓
Platform APIs					
Locate device	✓	✓	✓	✓	✓
Sound an alert	✓	✓	✓	✓	✓
API Level 2					
Allow storage card	✓	✓	✓	✓	✓
Allow Wi-Fi	✓	✓	✓	✓	✓
Allow Bluetooth	✓	✓	✓	✓	✓
Allow tethering	✓	✓	✓	✓	✓
Allow desktop sync	✓	✓	✓	✓	✓
Allow simple password	✓	✓	✓	✓	✓
API Level 3					
Allow browser	✓	✓	✓	✓	✓
Application Black/White listing	✓	✓	✓	✓	✓
Require storage card encryption	✓	✓	✓	✓	✓
API Level 4					
Allow IrDA	✓	✓	✓	✓	✓
Allow roaming	✓	✓	✓	✓	✓
Allow auto sync when roaming	✓	✓	✓	✓	✓
Wipe storage card only	✓	✓	✓	✓	✓
Add EAS account	✓	✓	✓	✓	✓
VPN configuration	✓	✓	✓	✓	✓
Track data usage	✓	✓	✓	✓	✓
Get rooting status	✓	✓	✓	✓	✓
API Level 5					
Allow location providers	✓	✓	✓	✓	✓
Allow sending SMS/MMS	✓	✓	✓	✓	✓
Allow screen capture	✓	✓	✓	✓	✓
Allow USB debugging	✓	✓	✓	✓	✓
Allow USB mass storage	✓	✓	✓	✓	✓
Allow non-market app installation	✓	✓	✓	✓	✓
Limit amount of roaming data	✓	✓	✓	✓	✓
Install and remove email account (POP3, IMAP4, EAS)	✓	✓	✓	✓	✓
Install certificate (VPN, Wi-Fi or S/MIME)	✓	✓	✓	✓	✓
API Level 6					
Packet filtering	✓	✓	✓	✓	✓
Allow deactivation	✓	✓	✓	✓	✓
Allow adding guest users	✓	✓	✓	✓	✓
Allow application installation or uninstallation	✓	✓	✓	✓	✓
Allow POP/IMAP email	✓	✓	✓	✓	✓

	Xperia E5	Xperia M4 Aqua Xperia M4 Aqua Dual	Xperia M5 Xperia M5 Dual	Xperia L1	Xperia L2
Allow consumer email	✓	✓	✓	✓	✓
One time password	✓	✓	✓	✓	✓
Device lockout	✓	✓	✓	✓	✓
API Level 7					
Allow microphone	✓	✓	✓	✓	✓
Allow background data	✓	✓	✓	✓	✓
Allow data usage (Mobile Data)	✓	✓	✓	✓	✓
Allow access to device settings	✓	✓	✓	✓	✓
Allow voice roaming	✓	✓	✓	✓	✓
Allow sync data in accounts	✓	✓	✓	✓	✓
Allow NFC	✓	✓	✓	✓	✓
Remove and list certificates	✓	✓	✓	✓	✓
List VPN profiles	✓	✓	✓	✓	✓
MDM Silent installation	✓	✓	✓	✓	✓
SAFE Mode restriction	✓	✓	✓	✓	✓
Installation/Uninstallation blocking	✓	✓	✓	✓	✓
New Guest user addition restriction	✓	✓	✓	✓	✓
Extension of VPN configuration APIs	✓	✓	✓	✓	✓
API Level 8					
Add APN	✓	✓	✓	✓	✓
Allow auto boot	✓	✓	✓	✓	✓
Allow change wallpaper	✓	✓	✓	✓	✓
Allow clipboard	✓	✓	✓	✓	✓
Allow display sleep	✓	✓	✓	✓	✓
Allow FOTA	✓	✓	✓	✓	✓
Allow home, back, recent keys	✓	✓	✓	✓	✓
Allow mock location	✓	✓	✓	✓	✓
Allow outgoing voice call	✓	✓	✓	✓	✓
Allow reboot or shutdown	✓	✓	✓	✓	✓
Allow safe mode	✓	✓	✓	✓	✓
Allow turning off location	✓	✓	✓	✓	✓
Configure Single sign-on	✓	✓	✓	✓	✓
Lock top application (kiosk mode)	✓	✓	✓	✓	✓
Reboot or shutdown	✓	✓	✓	✓	✓
Remote control	✓	✓	✓	✓	✓
API Level 9					
Allow adjust volume				✓	✓
Allow Bluetooth profiles				✓	✓
Allow factory reset				✓	✓
Allow Wi-Fi SSID				✓	✓
Roaming control of SMS/MMS/Voice				✓	✓
Silent certificate installation				✓	✓
API Level 10					
Set system date and time				✓	✓
Set mobile data on/off				✓	✓
Other features					
Enabler for Device Configurator (PC tool) preinstalled	✓		✓		
Support for Xperia Configurator Cloud (XCC)	✓			✓	✓
Support for Mass Deployment in XCC				✓*	✓
FIPS 140-2 Certification					
Common Criteria Certification					
E-SDK device tracker (MDM)				✓	✓
SE Linux Enforcing Mode	✓	✓	✓	✓	✓
Enhanced PIM				✓	✓
Enterprise Single sign-on (SSO)				✓	✓
Fingerprint sensor					
Google Factory Reset Protection				✓	✓
Default encryption of internal storage					
AES encryption support	256-bit	256-bit	256-bit	256-bit	256-bit

*Mass deployment support for Xperia L1 and Xperia L1 Dual SIM is limited to software build number 43.0.A.5.32, or later.

Android™ Enterprise feature overview

Additional information to the previous tables: Devices with Android 5.0 and higher support configuration of features as shown below. For more information, see <https://developers.google.com/android/work/overview> and <https://developers.google.com/android/work/requirements/features>.

	Can be called from regular (non-owner) Device Admin	Can be called from a Device Owner	Can be called from a Profile Owner		Can be called from regular (non-owner) Device Admin	Can be called from a Device Owner	Can be called from a Profile Owner
Set network-independent global HTTP proxy		Yes		Allow configure mobile networks		Yes	Yes
List installed user CA certificates	Yes	Yes	Yes	Allow application control		Yes	Yes
Uninstall all user CA certificates	Yes	Yes	Yes	Allow mount physical media		Yes	Yes
Get CA certificate alias	Yes	Yes	Yes	Allow unmute microphone		Yes	Yes
Install certificate and private key pair		Yes	Yes	Allow adjust volume		Yes	Yes
Allow screen capture		Yes	Yes	Allow outgoing calls		Yes	Yes
Allow network time required		Yes		Allow incoming and outgoing SMS		Yes	Yes
Add default application handler		Yes	Yes	Allow create windows		Yes	Yes
Set application restrictions		Yes	Yes	Allow cross profile copy and paste		Yes	Yes
Set TrustAgent (lock screen agent) features	Yes	Yes	Yes	Allow outgoing NFC		Yes	Yes
Allow managed profile caller ID			Yes	Set application hidden		Yes	Yes
Add cross profile application handler			Yes	Enable system application		Yes	Yes
Set permitted accessibility services		Yes	Yes	Allow account management per account type			Yes
Set permitted input methods		Yes	Yes	Set lock task		Yes	
Create/delete/switch user		Yes		Enable ADB		Yes	
Allow modify accounts		Yes	Yes	Enable network time		Yes	
Allow configure Wi-Fi		Yes	Yes	Enable network time zone		Yes	
Allow install applications		Yes	Yes	Enable Bluetooth		Yes	
Allow uninstallation of applications		Yes	Yes	Enable data roaming		Yes	
Allow share location		Yes	Yes	Enable development settings		Yes	
Allow install from unknown sources		Yes	Yes	Set ringer mode		Yes	
Allow configure Bluetooth		Yes	Yes	Set network preference(s)		Yes	
Allow USB file transfer		Yes	Yes	Enable USB mass storage		Yes	
Allow configure credentials		Yes	Yes	Enable Wi-Fi		Yes	
Allow remove user		Yes	Yes	Enable Wi-Fi sleep policy		Yes	
Allow debugging features		Yes	Yes	Set default input method		Yes	Yes
Allow configure VPN		Yes	Yes	Skip application first user hints		Yes	Yes
Allow configure tethering		Yes	Yes	Set location mode accuracy		Yes	
Allow factory reset		Yes	Yes	Set administrator permission provider			Yes
Allow add user		Yes	Yes	Mute master volume		Yes	Yes
Ensure verify applications		Yes	Yes	Block application uninstalls by user		Yes	Yes
Allow configure cell broadcasts		Yes	Yes	Allow cross platform widget provider			Yes